

# Total HTML ConverterX User Manual



© 2012 CoolUtils by Softplicity

# Table of Contents

I Introduction	1
II Activation	2
III How to Use	3
IV Code Examples	8
V Contacts & Support	10

# 1 Introduction

**Total HTML ConverterX** is a convenient command-line HTML converter for web servers and workstations. It is provided as a Software Development Kit (SDK) both in EXE and ActiveX versions.

This software converts HTML files and strings into DOC, XLS, PDF, TIFF, JPG, RTF, and TXTW. Other features include:

- Adding headers and footers to output files
- Adding watermarks and digital signatures
- Batch conversion
- Inserting keywords, author, creator, subject, title, and other properties
- Automatic selection of optimal printing options (e.g. paper size, orientation, etc.)



Note that **Total HTML ConverterX** works in console mode only. Therefore you can easily run it on web servers that do not have the graphical user interface (GUI) installed.


Note also that the EXE version of **Total HTML ConverterX** supports both 32-bit and 64-bit Windows OS, while the ActiveX version only runs on 32-bit Windows.

## 2 Activation

You can use the **Total HTML ConverterX** for 30 days without registration with all its functions available. If you'd like to continue to use it after 30 days, then you have to activate your copy.

To activate the **Total HTML ConverterX**:

- In Windows, choose **Start > Accessories > Command Prompt** to open the console.
- Type **cd <conveter\_installation\_path>**, where *conveter\_installation\_path* is the folder in which **Total HTML ConverterX** is installed (by default, it is "C:\Program Files\TotalHTMLConverterX").
- Then, type **htmlconverterx -reg** in the command line. The following screen will appear:



- Enter your registration name and key into the corresponding fields and then click **Register**. Note that both fields are case sensitive. Therefore, ensure to type them exactly as they appear in the e-mail from CoolUtils.

### 3 How to Use

**Total HTML ConverterX** supports only command-line interaction using the following syntax:

```
htmlconverterx <source_file> <destination_file> <optional_keys>
```

where *source\_file* is the HTML file to be converted (this can be either a local file or a full URL of a webpage), *destination\_file* is the output file after conversion, and *optional\_keys* are additional keys listed in the table below.

To get started with **Total HTML ConverterX**, perform the following:

- In Windows, choose **Start > Accessories > Command Prompt** to open the console.
- Type **cd <conveter\_installation\_path>**, where *conveter\_installation\_path* is the folder in which **Total HTML ConverterX** is installed (by default, it is "C:\Program Files\TotalHTMLConverterX").
- Then, type **htmlconverterx <source\_file> <destination\_file> <optional\_keys>** in the command line. All supported keys are listed in the table shown below.

#### Notes

To improve your interaction with **Total HTML ConverterX**, you can create a batch file (.bat) that will run the above commands in automatic mode.

You can use two predefined macroses for the *<destination\_file>*: **<DATE[:yyyymmdd]>** and **<TIME[:hhmmss]>** which are the current date and current time respectively.

Option	Action	Example
-log <log file name>	Records all errors in a log file instead of displaying them on the screen.	
-verbosity	Specifies whether the logging should be brief or detailed.	
<ul style="list-style-type: none"> <li>• error</li> <li>• detail</li> </ul>	<ul style="list-style-type: none"> <li>• Brief (records only errors)</li> <li>• Detailed (records all events)</li> </ul>	
-reg	Displays the activation window (see <a href="#">Activation</a> for more info).	
-about	Displays the 'About' window with the contact info.	
-list <file_with_masks>	Allows you to specify a text file containing masks for source files.	
-date "<start_date>-<end_date>"	Selects only files that were modified between start_date and end_date.	Select files modified for the last three days:  -date "11.06.2012-13.06.2012"
-fmask "folder_masks"	Specifies a text file containing the masks of the source files	Find all the subfolders ending in "docs" in the current directory and convert all HTML files in them into "output.jpg":  htmlconverterx *.html output.jpg -fmask "**docs"
-recurse	Includes subfolders recursively	
-do	Deletes source file(s)	
-kfs	Keeps folder structure. Use this option, if you want to have the same folder structure in the output directory as	

	in the input directory. Otherwise, all output files in the output directory will be saved without subfolders.	
-c	Sets the output file format	
<ul style="list-style-type: none"> <li>• doc</li> <li>• rtf</li> <li>• xls</li> <li>• pdf</li> <li>• jpg</li> <li>• tiff</li> <li>• txt</li> <li>• txtw</li> <li>• emf</li> <li>• print</li> </ul>	<ul style="list-style-type: none"> <li>• Converts to DOC</li> <li>• Converts to RTF</li> <li>• Converts to XLS</li> <li>• Converts to PDF</li> <li>• Converts to JPG</li> <li>• Converts to TIFF</li> <li>• Converts to TXT</li> <li>• Converts to TXTW</li> <li>• Converts to EMF</li> <li>• Prints the HTML file using the default system printer</li> </ul>	
-fp	Fits the output document to page.	
-autosize	Automatically selects the size of the output image in pixels.	
-si	Converts all source files into a single image.	
-combine	Combines all source files into a single file.	
-t	Reserved for future use	
-ts	Reserved for future use	
-ri	Extracts elements of a specific type from the source file (s)	
<ul style="list-style-type: none"> <li>• text</li> <li>• shapes</li> <li>• images</li> </ul>	<ul style="list-style-type: none"> <li>• Extracts only text</li> <li>• Extracts only shapes</li> <li>• Extracts only images</li> </ul>	
-pghead	Adds a header in the IE style	Add page numbers on the top:  -pghead "&w&bPage &p of &P"
-headerfilename	Sets the header HTML file for the output document	
-pgfoot	Adds a footer in IE style	-pgfoot "&u&b&d"
-footerfilename	Sets the footer HTML file for the output document	
-hffn	Sets the font for headers and footers	
-hffs	Sets the font size for headers and footers	
-hfm	Sets the printing mode for footers and headers.	
<ul style="list-style-type: none"> <li>• all</li> <li>• notfirst</li> <li>• notlast</li> <li>• first</li> <li>• last</li> </ul>	<ul style="list-style-type: none"> <li>• Prints all footers and headers throughout the document.</li> <li>• Prints all footers and headers except that on the first page.</li> <li>• Prints all footers and headers except that on the last page.</li> <li>• Prints the footers and headers only on the first page.</li> <li>• Prints the footers and headers only on the last page.</li> </ul>	
-pc	Sets the PDF file compression mode.	
<ul style="list-style-type: none"> <li>• fastest</li> <li>• normal</li> <li>• max</li> </ul>	<ul style="list-style-type: none"> <li>• Fastest compression</li> <li>• Normal compression</li> <li>• Maximum compression</li> </ul>	
-dpi	Sets the DPI (dots per inch) of the output image.	
-dpix	Sets the horizontal resolution in DPI of the output image.	
-dpiy	Sets the vertical resolution in DPI of the output image.	

-po	Sets the paper orientation for the output image.	
<ul style="list-style-type: none"> <li>• portrait</li> <li>• landscape</li> </ul>	<ul style="list-style-type: none"> <li>• Portrait orientation</li> <li>• Landscape orientation</li> </ul>	
-timeout	Sets the timeout in ms	
-siteuser	username for signing in to a website, which page you'd like to convert	
-sitepass	password for signing in to a website, which page you'd like to convert	
-jq	Sets the quality of the output JPEG files (1 – minimal quality and size, 100 – maximal quality and size)	
-outfmt	Sets the output image format (for PDF only). This command defines in which format the images will be added into the PDF file.	
<ul style="list-style-type: none"> <li>• bmp</li> <li>• jpeg</li> <li>• gif</li> <li>• png</li> <li>• metafile</li> <li>• ccitt3</li> <li>• ccitt4</li> </ul>	<ul style="list-style-type: none"> <li>• Bitmap conversion</li> <li>• JPEG conversion</li> <li>• GIF conversion</li> <li>• PNG conversion</li> <li>• Metafile conversion</li> <li>• CCITT3 bilevel group conversion</li> <li>• CCITT4 bilevel group conversion</li> </ul>	
-dec	Sets the document encoding type (for output RTF and DOC files)	
<ul style="list-style-type: none"> <li>• pa</li> <li>• ee</li> </ul>	<ul style="list-style-type: none"> <li>• Optimize for positional accuracy (the output file will keep the source layout, but may be difficult to edit)</li> <li>• Optimize for ease of editing (the output file's layout will be slightly different, but easily editable in MS Word)</li> </ul>	
-tc	Sets the compression of the output TIFF files.	
0	No compression	
1	LZW compression	
2	RLE compression (packbits)	
3	JPEG compression	
4	Bilevel Huffman compression	
5	Bilevel Group 3 CCITT compression, 1D	
6	Bilevel Group 3 CCITT compression, 2D	
7	Bilevel Group 4 CCITT compression, 2D	
-mp	Sets the owner's password for the output PDF file	
-up	Sets the owner's password for the output PDF file	
-author	Sets the 'Author' property for the output PDF file	
-creator	Sets the 'Creator' property for the output PDF file	
-keywords	Sets the 'Keywords' property for the output PDF file	
-subject	Sets the 'Subject' property for the output PDF file	
-title	Sets the 'Title' property for the output PDF file	
-pfxfile	Specifies the PFX certificate file for authorization	
-pfxpass	Sets the password for the PFX certificate	
-signloc	Specifies the location where the document was signed with a certificate	
-signcon	Specifies the contact information of the signer	
-signres	Specifies the reason why the document was signed with a certificate	
-perm	Sets the user permissions for the output PDF document	

copy	A user can copy the content of the document	
modify	A user can modify the document	
print	A user can print the document	
annotation	A user can add annotations in the document	
formfill	A user can fill the fields in the document	
accessibility	Allows accessibility software (such as a screen reader) to use the document contents.	
docassembly	Inserting, deleting, or rotating pages as well as creating bookmarks and thumbnails are prohibited.	
highresprint	A user can print the document in high quality	
-tm	Sets the top margin in inches	
-lm	Sets the left margin in inches	
-bm	Sets the bottom margin in inches	
-rm	Sets the right margin in inches	
-ps	Sets the paper size for the output document	
letter	letter	
lettersmall	lettersmall	
tabloid	tabloid	
ledger	ledger	
legal	legal	
statement	statement	
executive	executive	
folio	folio	
a3	a3	
a4	a4	
a4small	a4small	
a5	a5	
b4	b4	
b5	b5	
quarto	quarto	
envc3	envelope c3	
envc4	envelope c4	
envc5	envelope c5	
envc6	envelope c6	
envb4	envelope b4	
envb5	envelope b5	
envb6	envelope 6	
envmonarch	envelope monarch	
custom -pd 10x10i	You can also set the custom size in inches or mm	
auto	The size of the document will be calculated automatically	
-pd	Sets the custom paper size either in mm or inches. It is usually used with the -ps custom option.	Set the paper size to 10x10 inches:  -pd 10x10i  Set the paper size to 10x10 mm:  -pd 10x10
-noac	Disables automatic crop	

-bc	Sets the background color in hexadecimal format (e.g. #6CDFC4)	
-bi	Sets the background image	
-wmname	Sets the watermark font	
-wmsize	Sets the watermark font size	
-wmcolor	Sets the watermark font color in hexadecimal format (e.g. #6CDFC4)	
-wmtext	Sets the watermark text	
-wmhorizpos	Sets the watermark horizontal position	
left center right	Left Center Right	
-wmvertpos	Sets the watermark vertical position	
top middle bottom	Top Middle Bottom	
-pn	Specifies the printer name	
-pt	Specifies the printer tray name	
-intprn	Enables the internal printer driver	
-rendertype	Sets the rendering type	
font pos	Optimize for font accuracy Optimize for position accuracy	
-optionfile <file_name>	<p>You can create a text file containing any options that you use frequently and apply it for various commands. The file structure should look like this:</p> <pre>&lt;option1&gt;=&lt;value1&gt; &lt;option2&gt;=&lt;value2&gt; ... &lt;optionN&gt;=&lt;valueN&gt;</pre>	<p>Create an options file to set the watermark with the text 'Watermark' and font Verdana, 16:</p> <pre>wmText=Watermark wmSize=16 wmName=Verdana</pre>

## 4 Code Examples

Below are some code examples (for ActiveX, ASP, and PHP) on how to call **Total HTML ConverterX** from your own applications.

**i Note** You can find the ready-to-use Visual Studio C# solutions in **Total HTML ConverterX**'s installation folder.

### ActiveX API

```
IHTMLConverterX = interface(IDispatch)
    ['{152F4691-8F0B-4D96-8252-2A6828CDCEB9}']
    procedure Convert(const SourceFile: WideString;
        const DestFile: WideString;
        const Params: WideString); safecall;
    procedure ConvertStr(const SourceStr: WideString;
        const DestFile: WideString;
        const Params: WideString); safecall;
    function ConvertToStream(var SourceFile: WideString;
        var TempFolder: WideString;
        var Params: WideString): WideString; safecall;
    function ConvertString(const SourceString: WideString;
        const TempFolder: WideString;
        const Params: WideString): WideString; safecall;
    function Register(const RegName: WideString;
        const RegKey: WideString): WideString; safecall;
    function About: WideString; safecall;
    property LogFile: WideString;
    property ErrorMessage: WideString;
    property CurrentDirectory: WideString;
end;
```

### ASP

```
dim C
Set C=CreateObject("HTMLConverter.HTMLConverterX")
C.Convert "c:\source.HTML", "c:\dest.JPG", "-cJPG -log c:\html.log"
C.Convert "http://www.coolutils.com/", "c:\URL Page.PDF", "-cPDF -log c:\html.log"
set C = nothing
```

### ASP (Direct streaming of the resulting PDF file)

```
dim C
Set C=CreateObject("HTMLConverter.HTMLConverterX")
Response.Clear
Response.AddHeader "Content-Type", "binary/octet-stream"
Response.AddHeader "Content-Disposition", "attachment; filename=test.pdf"
Response.BinaryWrite
    c.ConvertToStream("C:\www\ASP\Source.html", "C:\www\ASP", "-cpdf -log c:\html.log")
set C = nothing
```

### PHP

```
$src="C:\test.htm";
```

```
$dest="C:\test.pdf";  
if (file_exists($dest)) unlink($dest);  
$c= new COM("HTMLConverter.HTMLConverterX");  
$c->convert($src,$dest, "-c pdf -log c:\html.log");  
if (file_exists($dest)) echo "OK"; else echo "fail:".$c->ErrorMessage;
```

## 5 Contacts & Support

Feel free to submit your feedback or questions to [support@coolutils.com](mailto:support@coolutils.com).

You can also visit our website at <http://www.coolutils.com/support> or leave a voice mail 1-888-803-4224.